Worcestershire Health and Wellbeing Board

Joint Strategic Needs Assessment Briefing on Childhood Excess Weight

Information Lead:	Liz Altay	Version:	1.0
Prepared By:	Jan Harvey	Date:	March 2019
Review Date:	March 2020		

Summary

- In Worcestershire the percentage of eligible children measured as part of the National Child Measurement Programme (NCMP) has been consistently higher than the target of 85% since 2008/09.
- The percentage of Reception children (age 4-5) in Worcestershire who are overweight has dropped to its lowest level since recording began and is roughly equivalent to the England average.
- Worcestershire continues to have a lower percentage of year 6 children (aged 10-11) who are classified as having excess weight (overweight or obese combined) than the national average.
- Nationally, in both year groups, boys have higher percentages of overweight or obese LBody/n th(lpT
    - Disappointingly, by Year 6 the gap betwe considerably in 201718 with boys 5.6 per overweight or obese category.
    - Wyre Forest, Redditch and Wychavon Di children with excess weight for Reception years pooled data 2015/16–2017/18.
    - In the same time period, Wyre Forest Dis combined overweight or obese children. over the last few years and will need to b

Coverage

Figure 1 - Reception Year Coverage Rates for Worcestershire



Source: NHS Digital

Figure 2 - Year 6 Coverage Rates for Worcestershire

Source: NHS Digital

Apart from a slight dip in 2014/15, coverage rates in Worcestershire have been consistently above the national average over the last 7 years.

Results

Figure 3 - Reception Year Results

Source: NHS Digital

In Reception children both the percentage overweight and those who were classed as obese decreased in 2017/18 in Worcestershire bringing the overall percentage to its lowest level since recording began. Worcestershire has consistently had higher percentages than England, so it is encouraging to see the percentage fall to achieve the same level as the England average.

Table 2 - Reception Year Results Compared to England

	Worcestershire			England		
Reception Year	Overweight	Obese	Overweight and Obese combined	Overweight	Obese	

Figure 4 - Year 6 Results

Source: NHS Digital

It is encouraging to see the overall percentage

Results by Gender

Figure 5 - Reception Results by Gender in Worcestershire

Source: NHS Digital

Figure 6 - Year 6 Results by Gender in Worcestershire

Source: NHS Digital

In Year 6 in Worcestershire there was a decrease in almost all categories this year with 35.5% of boys and 29.9% of girls classed as having excess weight. In boys there was a slight shift between Obese and Overweight, with a slightly higher percentage of overweight boys but obesity dropping by 1 percentage point which meant that the overall combined excess weight percentage dropped. As can be seen most starkly in the graph above, the gap is widening in Worcestershire between genders and this year is over 5.5 percentage points.

Table 5 -

Results by District

Figure 7 - Results by Worcestershire District - 3 years pooled

Source: NCMP Enhanced Dataset analysed by WCC Public Health Dept

Looking at three years pooled data, Wyre Forest, Redditch and Wychavon Districts have higher percentages of children with excess weight for Reception year than the Worcesters-36.793 2-2c(eErc

Figure 9 - Results by Council District - Year 6

Source: NHS Digital

Although Wyre Forest District continues to have a high percentages of year 6 excess weight, the longer-term trend seems to be improvement

Figure 12 - Reception Year Results by Deprivation Quintile



Source: NCMP Enhanced Dataset analysed by WCC Public Health Dept

In 2017/18, there were 25.7% reception children classed as having excess weight living in the most deprived quintile of Worcestershire. This compares with just 18.3% in the least deprived quintile. This is over 7 percentage points difference between children living in the most and least deprived areas of Worcestershire. This inequalities gap has not really changed over the last 7 years.

Figure 13 - Year 6 Results by Deprivation Quintile



Source: NCMP Enhanced Dataset analysed by WCC Public Health Dept

In 2017/18, there were 39.5% year 6 children classed as having excess weight living in the most deprived quintile of Worcestershire. This compares with just 27.7% in the least deprived quintile. This is 11.8 percentage points difference between children living in the most and least deprived areas of Worcestershire. Despite a welcome reduction last year, the inequalities gap has returned to its previous high level.

I ob-13 ( ).5 (ev)8.9 (el)y.6 (.)-6.6 ( )]TJ 0 Tca0 T

Associated Documents and Information

National Policy

Childhood Obesity – A Plan for Action. Department of Health and Social Care (2017).
Available at: https://www.gov.uk/government/publications/childhood-obesity-a-plan-for-action

NICE Guidance

National Institute for Health and Care Excellence (NICE). (2017). Weight management: lifestyle services for overweight or obese children and young people